

## Release Notes HTML2PDF

<b>Version 2.0.2 .....</b>	<b>2</b>
<b>Module html2pdf .....</b>	<b>2</b>
<b>Version 2.0.1 .....</b>	<b>3</b>
<b>Module html2pdf .....</b>	<b>3</b>
<b>Version 2.0.0 .....</b>	<b>4</b>
<b>Module html2pdf .....</b>	<b>4</b>

# 1 Version 2.0.2

## 1.1 Module html2pdf

new - license

- As of version 2.3.1.0 of html2pdf.exe, the license is searched for in the \$PLSTOOLS/license directory additionally to the Registry.

*HTP-20 28.04.2017 10:28:52*

## 2 Version 2.0.1

### 2.1 Module html2pdf

- The width of the margins can be modified. By default, the width of the top, bottom, left and right margins is 42 pt (about 1,6 cm). By setting the LEFTANDRIGHTMARGIN and TOPANDBOTTOMMARGIN environment variables, the margins can be changed (Unit pt).  
*HTP-16 20.07.2016 07:33:04* new - margin width
- As of version 2.3, CSS Media Type SCREEN is used for the Gecko render engine (USE\_GECKO) by default. In order to use PRINT furthermore, set the MEDITATYPE environment variable to PRINT.  
*HTP-17 22.11.2016 15:12:04* new - CSS Media Type SCREEN
- By setting the -addlinks program parameter, the links in the HTML file are converted into links in the PDF file. If possible, the internal links in the HTML file are converted into internal links in the PDF file.  
*HTP-14 09.03.2016 08:21:32* new - keep links

## 3 Version 2.0.0

### 3.1 Module html2pdf

- new - .NET 4.0
  - **html2pdf.exe requires .NET 4.0.**  
*HTP-9 15.01.2016 09:40:07*
- new - ABCPDF 10.1
  - **html2pdf.exe uses ABCPDF 10.1.**  
*HTP-5 23.10.2015 13:04:20*
- new - license
  - **html2pdf.exe requires a "DPF Solution" license.**  
*HTP-3 27.10.2011 13:57:36*
- new - only 64 bit version
  - **Now, html2pdf.exe is available only as 64 bit version.**  
*HTP-8 15.01.2016 09:39:32*
- new - rendering
  - **The rendering has been improved due to using ABCPDF 10.1.**  
*HTP-6 02.12.2015 14:29:44*
- new - environment variables
  - **The following environment variables are evaluated: USEGECKO=ALWAYS|ONERROR (default: no GECKO, already active in 1.6), AVOIDRENDERERROR=Y|N (default: N, already active in 1.6), PAGELOADTIMEOUT=<seconds> for the timeout in seconds (default: 15).**  
*HTP-11 15.01.2016 09:48:39*
- new - URL
  - **URLs beginning with http or www can be converted.**  
*HTP-12 15.01.2016 09:51:03*
- new - usage
  - **The usage has been updated.**  
*HTP-10 15.01.2016 09:43:12*